

AUTHOR INDEX TO VOLUME 17

- Abe Y, 186-188
 Aduana V, 59-63
 Alenghat JP, 142-145
 Arimizu N, 19-21, 146-148
 Arnal-Monreal F, 67-69
 Auh YH, 269-273
- Backer R, 73-76
 Baijal SS, 99-103
 Balkanci F, 70-72
 Bear HM, 153-155
 Berg WT, 30-32
 Berkmen T, 106-108
 Bernstein SM, 235-239
 Besim A, 70-72
 Bielke DJ, 133-136
 Bloom RA, 137-141
 Booth RL Jr, 81-85
 Bova D, 17-18, 292-296
 Bowerman RA, 149-152
 Brosnan JJ, 258-259
 Brunet ME, 253-257
- Campbell JN, 260-262
 Campodonico F, 292-296
 Caravella BA, 86-88
 Cartagena AM, 263-265
 Castriota-Scanderbeg A, 17-18
 Cekirge S, 70-72
 Charnsangavej C, 126-132
 Cheung DLC, 117-123
 Cho KS, 269-273
 Cholankeril JV, 41-45
 Chou F-F, 210-212
 Cohen AJ, 8-11
 Çokyüksel O, 106-108
- Davis SD, 124-125
 Demouy EH, 153-155, 176-178, 253-257
 Detterbeck FC, 276-278
 Dominguez R, 222-234
 Durawa NF, 301
- Ellis JH, 204-206
- Eng H-L, 210-212
 Engeler CE, 156-161
- Faro SH, 1-7
 Feinzimer ET, 258-259
 Ferrozzi F, 17-18, 292-296
 Finn RD, 89
 Fishman EK, 30-35, 77-80, 112-116, 199-203, 260-262, 282-291
 Francis IR, 149-152
 Friedenberg RM, 8-11
 Fujimoto H, 19-21, 146-148
 Fukui M, 46-52
 Furukawa T, 46-52
- Gambino J, 8-11
 Gao J, 266-268
 Gerard PS, 36-40
 Goldfeld M, 104-105
 Goldman HS, 263-265
 Gomori J, 137-141
 Govoni AF, 86-88, 90, 95-96, 241-243, 297-300
 Gupta KL, 171-175
- Haik BG, 171-175
 Harris G, 235-239
 Hasuo K, 12-16, 46-52
 Hatakeyama K, 186-188
 Hayashi T, 64-66
 Henschke CI, 124-125
 Higashi H, 109-111
 Ho K-J, 189-192, 279-281
 Hom T, 266-268
 Honma M, 19-21
 Hori S, 56-58
 Hruban RH, 33-35, 77-80, 112-116, 260-262
 Hyman RA, 235-239
- Ichikawa T, 19-21
 Ishida T, 56-58
 Iwamura T, 27-29
 Iwata K, 109-111
- Jabra AA, 199-203
 Jain KA, 162-168
 Jinkins JR, 73-76
 Joslyn JN, 171-175
- Kahn E, 235-239
 Kakitsubata S, 27-29, 109-111, 179-182, 186-188, 207-209
 Kakitsubata Y, 27-29, 109-111, 179-182, 186-188
 Kaneko K, 153-155, 176-178, 253-257
 Kang EM, 269-273
 Kao SCS, 53-55
 Kashimada A, 146-148
 Kawana T, 27-29
 Kawashima A, 30-32, 112-116
 Kazam E, 266-268
 Keats TE, 169
 Kihara Y, 109-111, 207-209
 Kim H-S, 183-185
 Kim MH, 269-273
 Kim SH, 269-273
 Korman U, 106-108
 Koyama A, 19-21
 Kozuka T, 56-58
 Kuhlman JE, 30-35, 77-80, 112-116
 Kusumoto S, 64-66
- Lamki N, 183-185
 Larsson E-M, 73-76
 Lee IC, 269-273
 Lee M-G, 269-273
 Lee RP, 112-116
 Lee T-Y, 210-212
 Lessin BD, 142-145
 Levin TL, 263-265
 Listinsky CM, 279-281
 Loberant N, 104-105
 Lund GR, 282-291
- Maeshima S, 56-58
 Magid D, 30-32
 Mahboubi S, 1-7
 Marasco WJ, 33-35, 77-80
 Marn CS, 204-206

- Marrisz J, 240
 Marukawa T, 56-58
 Masuda K, 12-16, 46-52
 Matsubara N, 19-21
 Matsumoto S, 12-16, 46-52
 Matsuura Y, 46-52
 May M, 297-300
 McDonald L, 59-63
 McElvein RB, 279-281
 McGahan JP, 162-168
 McKay DC, 204-206
 Mercier GA Jr, 297-300
 Messing ML, 258-259
 Mihara F, 171-175
 Milgrom C, 137-141
 Min YI, 269-273
 Mitani T, 56-58
 Mitomo M, 56-58
 Mitsuo H, 179-182
 Miyazaki T, 207-209
 Mizushima A, 46-52
 Mouloupoulos LA, 126-132
 Murakami K, 146-148
 Murakami T, 56-58
- Nagatomo H, 179-182
 Nakamura H, 56-58
 Nakamura R, 27-29
 Nakanishi K, 56-58
 Nanakawa S, 193-198
 Ngan H, 117-123
 Nijensohn E, 59-63
 Nishikawa M, 56-58
 Nosaka K, 146-148
 Nosaka S, 53-55
 Numan F, 106-108
- Ögüt G, 106-108
 Ortega W, 1-7
 Osterman FA, 282-291
- Ozawa K, 146-148
 Ozeki Y, 19-21
- Peh WCG, 117-123
 Piazza N, 17-18
 Pombo F, 67-69
- Rawat B, 274-275
 Ray C Jr, 59-63
 Ray CE Jr, 22-26
 Robinson AE, 176-178
 Rochester D, 258-259
 Rodriguez E, 67-69
 Rodriguez RP, 153-155
 Roy S, 99, 100-103
 Rubenstein W, 266-268
- Saddemi SR, 81-85
 Saiga T, 19-21
 Savader BL, 282-291
 Savader SJ, 282-291
 Savolaine ER, 133-136
 Schiano T, 36-40
 Scioscia PA, 41-45
 Scott WW Jr, 260-262
 Sei R, 207-209
 Sener RN, 73-76
 Setoguchi T, 109-111
 Sheen Chen S-M, 210-212
 Shiba T, 27-29
 Shin MS, 189-192, 279-281
 Simons ME, 274-275
 Stomper PC, 301
 Sugimura H, 27-29, 64-66, 207-209
 Sumiyoshi A, 64-66
 Suzuki Y, 27-29
- Tacal T, 70-72
- Takagi K, 193-198
 Takahashi M, 193-198
 Takano M, 193-198
 Talmachoff P, 222-234
 Tamura S, 64-66, 109-111, 186-188, 207-209
 Taylor GA, 199-203
 Terauchi M, 146-148
 Thebert A, 149-152
 Trerotola SO, 282-291
 Tsai C-C, 210-212
- Uchino A, 12-16, 46-52
 Umemura Y, 186-188
- Varma DGK, 126-132
 Venbrux AC, 282-291
- Wallace S, 126-132
 Walters TP, 276-278
 Wan Y-L, 210-212
 Warshauer DM, 276-278
 Watanabe K, 27-29, 64-66, 109-111, 179-182, 186-188, 207-209
 Watson AB Jr, 183-185
 Weinberg G, 263-265
 Whalen JP, 266-268
 Wilbur AC, 22-26
 Wilck E, 36-40
 Woldenberg LS, 81-85
 Woo CL, 183-185
- Yamada H, 64-66, 179-182
 Yankelevitz DF, 124-125
 Yucel EK, 213-221
 Yuki Y, 207-209
- Zeiss J, 81-85
 Zuckerman DA, 213-221

SUBJECT INDEX TO VOLUME 17

- Abscess, splenic, 33-35
 Abdomen
 falciform ligament lipoma and, 27-29
 in HIV, 86-88
 panniculitis in, 56-58
 unilateral vanishing psoas and, 104-105, 169
 Abstracts, 90-96, 241-247, 303-310
 Acalculous cholecystitis, Weber-Christian disease associated with, 56-58
 Acoustic neuroma, hemorrhagic, 142-145
 Acquired immunodeficiency syndrome (AIDS), non-Hodgkin's lymphoma as solitary pulmonary nodule in, 279-281
 Acupuncture, permanent needle, 36-40
 Adenocarcinoma, pancreatic, ureteric metastases in, 99-103
 Adenomyomatous hamartoma, causing ileoileal intussusception, 183-185
 Adenopathy, diffuse, in HIV, 86-88
 Adenosarcoma, mullerian, 204-206
 Adipose tissue, mesenteric, panniculitis of, 112-116
 Adnexal masses, bladder displacement by, 8-11
 Alveolar infiltrates, in acute pulmonary hemorrhage, 77-80
 Anatomic variant
 normal, 169
 unilateral vanishing psoas as, 104-105
 Aneurysmal bone cyst, pediatric, 1-7
 Aneurysms
 aberrant left subclavian artery, 276-278
 iliac artery, 213-221
 saccular extracranial carotid artery, 70-72
 thoracic aortic, 30-32
 Angiography
 of aggressive malignant meningioma, 59-63
 of cavernous hemangioma of kidney, 106-108
 Angioleiomyoma, involving sciatic nerve, 260-262
 Anterior cruciate ligaments, effusions around, 176-178
 Antibiotics, in HIV, 86-88
 Aortic aneurysm, thoracic, resulting in costovertebral erosion, 30-32
 Arteriography
 of hepatocellular carcinoma invading gallbladder, 109-111
 of iliac artery aneurysms, 213-221
 of intradural spinal arteriovenous fistula, 73-76
 Arteriovenous fistula, spinal, 73-76

 Barium enema, benign nerve sheath tumor of sigmoid colon and, 64-66

 Bartholin's gland, cysts of, 126-132
 Behçet's disease, with saccular extracranial carotid artery aneurysm secondary to, 70-72
 Biopsy, computed tomography-guided, 124-125
 Bladder, displacement of by adnexal masses, 8-11
 Blunt chest trauma, pulmonary pseudocysts and, 189-192
 Bone
 aneurysmal cysts of, 1-7
 dysplasias of, 222-234
 occut lesions of in traumatic knee joint disease, 253-257
 ossicles anterior to proximal tibia as anomaly of 137-141, 169
 Book reviews, 89, 156-161, 213-220, 240
 Bowel wall thickening, in Crohn's disease, 193-198
 Brain, in Lowe's syndrome, 133-136
 Brain parenchyma, deformation of adjacent to lipomas, 12-16
 Branchial cleft anomalies, as congenital lesions, 41-45
 Budd-Chiari syndrome, cardiac tumors with, 117-123
 Bursa, mass in, 81-85
 Buttock, epidermal cyst in, 146-148

 Calcification
 of extra-uterine tumor, 117-123
 retinoblastoma and, 171-175
 of teratoma, 199-203
 Cancer
 colon, 17-18
 liver, 109-111
 lung, 124-125
 pancreatic, 99-103, 269-273
 Carotid artery, saccular extracranial aneurysm of, 70-72
 Cerebral embolism, cardiac tumors with, 117-123
 Cerebellopontine angle mass, acoustic neuroma and, 142-145
 Chest pain, tumor and, 235-239
 Choledochal cyst, computed tomography of, 263-265
 Colon
 benign nerve sheath tumor of, 64-66
 calcified ovarian metastases from mucinous carcinoma of 17-18
 lipomas of, 179-182
 Color Doppler imaging, of lower extremity veins, 266-268
 Computed tomography (CT)
 of aberrant left subclavian artery aneurysm with esophagoarterial fistula, 276-278
 of acute pulmonary hemorrhage, 77-80
 of aggressive malignant meningioma, 59-63
 of angioleiomyoma involving sciatic nerve, 260-262

- of calcified ovarian metastases from mucinous carcinoma of colon, 17-18
 - of cavernous hemangioma of kidney, 106-108
 - of choledochal cyst, 263-265
 - of concurrent hematomas of psoas and rectus sheath, 22-26
 - of costovertebral erosion with spinal canal encroachment secondary to thoracic aortic aneurysm, 30-32
 - in Crohn's disease, 193-198
 - of cystic primary neoplasms of liver of adult, 292-296
 - of exophytic gastric hemangioma, 210-212
 - of falciform ligament, 27-29
 - of fatty infiltration of liver, 162-168
 - of fibrolamellar hepatocellular carcinoma, 67-69
 - ground-glass opacity of lung parenchyma and, 156-161
 - of hemorrhagic acoustic neuroma, 142-145
 - of hepatocellular carcinoma invading gallbladder, 109-111
 - in HIV, 86-88
 - of iliac artery aneurysms, 213-221
 - of intraabdominal panniculitis, 186-188
 - of intraocular hemorrhage and mimicking lesions, 171-175
 - of lipomas of small intestine and colon, 179-182
 - of mesenteric panniculitis, 112-116
 - of mullerian adenocarcinoma, 204-206
 - of non-Hodgkin's lymphoma as solitary pulmonary nodule in AIDS, 279-281
 - of pancreatic carcinoma, 269-273
 - of panniculitis and Weber-Christian disease, 57-58
 - of paravaginal cysts, 126-132
 - percutaneous needle biopsy guided by, 124-125
 - of permanent needle acupuncture, 36-40
 - of post-traumatic sialoceles and mucoceles of salivary glands, 41-45
 - of post-traumatic pulmonary pseudocysts, 189-192
 - of rhabdomyolysis associated with malignant hyperthermia and seizures, 258-259
 - of rib anomalies, tumors, and infection in children, 1-7
 - of splenic abscess in septic *Yersinia*, 33-35
 - of unilateral vanishing psoas, 104-105, 169
 - of ureteric metastases in pancreatic adenocarcinoma, 99-102
- Contrast-enhanced images, of intraocular hemorrhage and mimicking lesions, 171-175
- Costovertebral erosion, with spinal canal encroachment, thoracic aortic aneurysm resulting in, 30-32
- Crohn's disease, computed tomography imaging in, 193-198
- Cystic hygroma, as congenital lesion, 41-45
- Cysts
- bone, 1-7
 - choledochal, 263-265
 - cystic primary neoplasms of liver of adult, 292-296
 - epidermal, 146-148
 - in fibrolamellar hepatocellular carcinoma, 67-69
 - mesenteric, 112-116
 - of lower face and neck, 41-45
 - paravaginal, 126-132
 - teratomas and, 199-203
- Deep inspiration, in color Doppler imaging of lower extremity veins, 266-268
 - Dermoid cyst, as congenital lesion, 41-45
 - Doppler imaging, color, of lower extremity veins, 266-268
 - Dorsal mesencephalic lipomas, magnetic resonance imaging of, 12-16
 - Dysplasias, skeletal, 222-234
 - Dyspnea, tumor and, 235-239
- Editorial, 169
- Embolism, cerebral, cardiac tumors with, 117-123
 - Enchondroma, pediatric, computed tomography of, 1-7
 - Endometriosis, mullerian adenocarcinoma arising in, 204-206
 - Eosinophilic granuloma, pediatric, 1-7
 - Epidermal cyst, involving ischioanal fossa, 146-148
 - Esophago-arterial fistula, with left subclavian artery aneurysm, 276-278
 - Ewing's sarcoma
 - pediatric, 1-7
 - retroperitoneal extrasosseous, 149-152
 - Exophytic gastric hemangioma, computed tomography imaging of, 210-212
 - Exophytic renal mass, in extrasosseous Ewing's sarcoma, 149-152
 - Extremities, extrasosseous Ewing's sarcoma in, 149-152
- Face, lower, cysts of, 41-45
 - Falciform ligament, lipoma of, 27-29
 - Fatty infiltration, of liver, 162-168
 - Fever, in HIV, 86-88
 - Fibrofatty proliferation, in Crohn's disease, 193-198
 - Fibrolamellar hepatocellular carcinoma, multicystic, 67-69
 - Fistula formation, in Crohn's disease, 193-198
 - Focal pigmented villonodular synovitis, post-traumatic synovitis distinguished from, 81-85
 - Focal sparring, of liver, 162-168
 - Foot, malignant "Triton" tumor of, 53-55
- Gadolinium-DTPA (Gd-DTPA)
- giant cell tumor and, 153-155
 - intradural-extramedullary tumors and, 46-52
 - retroperitoneal leiomyosarcoma and, 207-209
- Gallbladder
- hepatocellular carcinoma invading, 109-111
 - panniculitis in, 56-58
- Ganglioneuroma, retroperitoneal, extending across midline, 19-21
- Giant cell tumor, of tendon sheath, 153-155
 - Glove pattern, focal sparring and, 162-168
 - Gradient-echo images, of intraocular hemorrhage and mimicking lesions, 171-175
 - Granulosa cell tumors, in pediatric patients, 199-203
 - Ground-glass opacity, clinical significance of, 156-161

- Hamartoma, adenomyomatous, 183-185
- Hari acupuncture, imaging implications in evaluation of, 36-40
- Heart
murmur, cardiac tumors with, 117-123
right, smooth muscle tumors of, 117-123
- Hemangioma
cavernous, of kidney, 106-108
exophytic gastric, 210-212
- Hemangiomas, pediatric, 1-7
- Hematomas, concurrent, of psoas and rectus sheath, 22-26
- Hemorrhage
of acoustic neuroma, 142-145
acute pulmonary, 77-80
intraocular, 171-175
intratumoral, exophytic gastric hemangioma with, 210-212
- Hepatocellular carcinoma, invading gallbladder, 109-111
- Human immunodeficiency virus (HIV)
diffuse and fine nodular pulmonary opacities associated with, 297-300
fever and vomiting in, 86-88
- Hyperinfestation, *Strongyloides stercoralis*, 274-275
- Hypertrophy, synovial, 81-85
- Ileoileal intussusception, tumor causing, 183-185
- Iliac artery aneurysms, radiography of, 213-221
- Infarction, spinal cord, 73-76
- Infection
pediatric, 1-7
Yersinia enterocolitica in, 33-35
- Inferior vena cava, smooth muscle tumors of, 117-123
- Inflammation, in mesenteric panniculitis, 112-116
- Interventional radiology, complications of, 282-291
- Intraabdominal panniculitis, imaging manifestations of, 186-188
- Intracranial lipomas, magnetic resonance imaging of, 12-16
- Intradural-extradural tumors, magnetic resonance imaging of, 46-52
- Intradural spinal arteriovenous fistula, magnetic resonance imaging of, 73-76
- Intraoperative ultrasound, real-time communication network outside operating room and, 301-302
- Intratumoral hemorrhage, exophytic gastric hemangioma with, 210-212
- Intravenous urography, of bladder displacement by adnexal masses, 8-11
- Ischemia, spinal cord, 73-76
- Ischioanal fossa, large epidermal cyst involving, 146-148
- Jarcho-Levin syndrome, pediatric, 1-7
- Joint effusion, knee, 176-178
- Jumper's knee, distal extremity of patella in, 169
- Kidneys
cavernous hemangioma of, 106-108
extraosseous Ewing's sarcoma in, 149-152
- Knee
joint effusion, 176-178
jumper's knee, 169
mass in suprapatellar bursa of, 81-85
- Knee joint disease, traumatic, occult bone lesions and meniscoligamentous injuries in, 253-257
- Laparotomy, of ureteric metastases in pancreatic adenocarcinoma, 99-103
- Left atrial mass, dyspnea and chest pain accompanying, 235-239
- Left subclavian artery aneurysm, with esophago-arterial fistula, 276-278
- Leiomyomatosis, extra-uterine intravenous, 117-123
- Leiomyosarcoma
retroperitoneal, 207-209
uterine, cardiac metastases from, 117-123
- Ligaments
anterior cruciate, 176-178
falciform, 27-29
posterior cruciate, 176-178
- Lipomas
of falciform ligament, 27-29
of small intestine and colon, 179-182
- Liver
cancer, invading gallbladder, 109-111
cystic primary neoplasms of adult, 292-296
fatty infiltration of, 162-168
focal sparing of, 162-168
lesions, *Strongyloides stercoralis* hyperinfestation in, 274-275
neoplasms, computed tomography imaging of, 67-69
- Lowe's syndrome, cranial magnetic resonance imaging in, 133-136
- Lower extremity veins, color Doppler imaging of, 266-268
- Lung cancer, computed tomography-guided percutaneous needle biopsy in, 124-125
- Lung parenchyma, ground-glass opacity of, 156-161
- Lymphatic obstruction, in mesenteric panniculitis, 112-116
- Lymph nodes, mesenteric, in Crohn's disease, 193-198
- Lymphoma, non-Hodgkin's, 279-281
- Magnetic resonance imaging (MRI)
of aggressive malignant meningioma, 59-63
of bladder displacement by adnexal masses, 8-11
of costovertebral erosion with spinal canal encroachment secondary to thoracic aortic aneurysm, 30-32
of dorsal mesencephalic lipomas, 12-16
of epidermal cyst, 146-148
of falciform ligament, 27-29
of giant cell tumor of plantar tendon sheath, 153-155
of hemorrhagic acoustic neuroma, 142-145
of hepatocellular carcinoma invading gallbladder, 109-111
of iliac artery aneurysms, 213-221
of intraabdominal panniculitis, 186-188
of intradural spinal arteriovenous fistula, 73-76

- of intraocular hemorrhage and mimicking lesions, 171-175
- of knee joint effusion, 176-178
- in Lowe's syndrome, 133-136
- of malignant "Triton" tumor in child, 53-55
- of mesenteric panniculitis, 112-116
- of normal anatomy, 240
- of ossicles anterior to proximal tibia, 137-141
- of paravaginal cysts, 126-132
- of post-traumatic synovitis, 81-85
- of retroperitoneal extraosseous Ewing's sarcoma, 149-152
- of retroperitoneal ganglioneuroma extending across midline, 19-21
- of retroperitoneal leiomyosarcoma, 207-209
- of skeletal dysplasias, 222-234
- of spinal neurinomas and meningiomas, 46-52
- Malignant hyperthermia, rhabdomyolysis associated with, 258-259
- Melanomas, mimicking intraocular hemorrhage, 171-175
- Meningiomas
 - aggressive malignant, 59-63
 - intradural-extramedullary spinal, 46-52
- Meniscologamentous injuries, in traumatic knee joint disease, 253-257
- Mesenteric panniculitis, presenting as multilocular cystic mesenteric mass, 112-116
- Mesentery
 - in Crohn's disease, 193-198
 - in intraabdominal panniculitis, 186-188
- Metastases
 - calcified ovarian, 17-18
 - cardiac, 117-123
 - focal sparing and, 162-168
 - mimicking intraocular hemorrhage, 171-175
 - ureteric, 99-103
- Microscopy, of post-traumatic synovitis, 81-85
- Midbrain, lipoma of, 12-16
- Midline, retroperitoneal ganglioneuroma extending across, 19-21
- Mucocele, post-traumatic, of salivary glands, 41-45
- Mullerian adenosarcoma, in perirectal endometriosis, 204-206
- Multilocular cystic mesenteric mass, in mesenteric panniculitis, 112-116
- Myelography, of intradural spinal arteriovenous fistula, 73-76

- Neck, cysts of, 41-45
- Needle angulation, in computed tomography-guided biopsy, 124-125
- Neoplasms
 - cardiac, 235-239
 - cystic primary neoplasms of liver of adult, 292-296
 - kidney, 106-108
 - liver, 67-69
- Nerve sheath tumor, of sigmoid colon, 64-66
- Neurinomas, intradural-extramedullary spinal, 46-52
- Neuroblastoma, retroperitoneal ganglioneuroma distinguished from, 19-21
- Neurofibroma, of sigmoid colon, 64-66
- Neurofibromatosis
 - malignant "Triton" tumor associated with, 53-55
 - pediatric, 1-7
- Nodules
 - mesenteric, 112-116
 - pulmonary, 124-125, 279-281, 297, 298-300
- Non-Hodgkin's lymphoma, as solitary pulmonary nodule in AIDS, 279-281

- Omentum, in intraabdominal panniculitis, 186-188
- Orbit, panniculitis in, 56-58
- Osgood-Schlatter disease, ossicles after, 137-141, 169
- Ossicles, anterior to proximal tibia, 137-141, 169
- Osteomyelitis, pediatric, 1-7
- Otitis media, in HIV, 86-88
- Ovaries
 - calcified metastases from mucinous carcinoma of colon, 17-18
 - primary tumors in pediatric patients, 199-203

- Pancreatic carcinoma, different mode of spread according to lesion site, 269-273
- Panniculitis
 - intraabdominal, 186-188
 - mesenteric, 112-116
 - Weber-Christian disease associated with, 56-58
- Paravaginal cysts, asymptomatic, 126-132
- Paravesical spaces, anatomy of, adnexal masses and, 8-11
- Pediatrics
 - dyspnea and chest pain in 14-year-old boy, 235-239
 - malignant "Triton" tumor, 53-55
 - primary ovarian tumors, 199-203
 - rib anomalies, tumors and infection, 1-7
 - tumor causing ileoileal intussusception, 183-185
- Pelvic anatomy, fundamentals of, 8-11
- Pelvis, exophytic gastric hemangioma and, 210-212
- Percutaneous needle biopsy, computed tomography-guided, 124-125
- Pericallosal lipomas, magnetic resonance imaging of, 12-16
- Permanent needle acupuncture, imaging implications in evaluation of, 36-40
- Pheochromocytoma, retroperitoneal ganglioneuroma distinguished from, 19-21
- Plantar tendon sheath, giant cell tumor of, 153-155
- Pleural effusion, computed tomography of, 1-7
- Pneumatocele, traumatic, 189-192
- Pneumocystis carinii* pneumonia, in HIV, 86-88
- Posterior cruciate ligaments, effusions around, 176-178
- Posterior femoral recess, effusions in, 176-178
- Primary cysts, post-traumatic pulmonary, 189-192
- Pseudodiverticulum, in Crohn's disease, 193-198
- Pseudopolyps, in Crohn's disease, 193-198
- Pseudotumor, focal sparing and, 162-168
- Psoas muscle
 - hematoma of, 22-26
 - unilateral vanishing, 104-105, 169

- Pulmonary hemorrhage, acute, 77-80
- Pulmonary nodule, solitary, non-Hodgkin's lymphoma as in AIDS, 279-281
- Pulmonary opacities, diffuse and fine nodular, in HIV-positive man, 297-300
- Pulmonary pseudocysts, post-traumatic, 189-192
- Quadrigeminal cistern, lipomas in, 12-16
- Radiography
 of acute pulmonary hemorrhage, 77-80
 of exophytic gastric hemangioma, 210-212
 in HIV, 86-88
 of iliac artery aneurysms, 213-221
 of post-traumatic pulmonary pseudocysts, 189-192
 of ureteric metastases in pancreatic adenocarcinoma, 99-103
- Radioiodination, theory, practice, and biomedical application of, 89
- Radiology
 of benign nerve sheath tumor of sigmoid colon, 64-66
 interventional, 282-291
 of permanent needle acupuncture, 36-40
 of skeletal dysplasias, 222-234
 of smooth muscle tumors of inferior vena cava and right heart, 117-123
- Ranula, visualization of, 41-45
- Rapid expiration, in color Doppler imaging of lower extremity veins, 266-268
- Rectus sheath, hematoma of, 22-26
- Relapsing febrile nodular non-suppurative panniculitis, acalculous cholecystitis associated with, 56-58
- Retinoblastomas, mimicking intraocular hemorrhage, 171-175
- Retropertoneum
 extraosseous Ewing's sarcoma in, 149-152
 ganglioneuroma of, 19-21
 in intraabdominal panniculitis, 186-188
 leiomyosarcoma in, 207-209
 panniculitis in, 56-58
- Rhabdomyolysis, associated with malignant hyperthermia and seizures, 258-259
- Rhonchi, bilateral, in HIV, 86-88
- Rib lesions, benign pediatric, 1-7
- Saccular extracranial carotid artery aneurysm, secondary to Behçet's disease, 70-72
- Salivary glands, post-traumatic sialoceles and mucoceles of, 41-45
- Schwannoma, malignant "Triton" tumor associated with, 53-55
- Sciatic nerve, angioleiomyoma involving, 260-262
- Seizures, rhabdomyolysis associated with, 258-259
- Sialoceles, post-traumatic, of salivary glands, 41-45
- Sigmoid colon, benign nerve sheath tumor of, 64-66
- Skeletal dysplasias, diagnostic imaging of, 222-234
- Small intestine, lipomas of, 179-182
- Smooth muscle tumors, of inferior vena cava and right heart, 117-123
- Soft tissues
 computed tomography of, 1-7
 extraosseous Ewing's sarcoma in, 149-152
- Sonography, of permanent needle acupuncture, 36-40
- Spinal canal encroachment, costovertebral erosion with, 30-32
- Spine
 arteriovenous fistula of, 73-76
 meningiomas of, 46-52
 neurinomas of, 46-52
- Splenic abscess, in septic *Yersinia*, 33-35
- Stomach, exophytic gastric hemangioma and, 210-212
- Stools, bloody, in HIV, 86-88
- Strictures, ureteric, in pancreatic adenocarcinoma, 99-103
- Strongyloides stercoralis*, hyperinfestation with, 274-275
- Subcutaneous tissues, in permanent needle acupuncture, 36-40
- Submandibular region, post-traumatic sialoceles and mucoceles of, 41-45
- Subpopliteal recess, effusions in, 176-178
- Suprapatellar bursa, mass in, 81-85
- Suprapatellar pouch, effusions in, 176-178
- Synovitis, post-traumatic, 81-85
- Telepaque-enhanced computed tomography, of choledochal cyst, 263-265
- Teratomas, in pediatric patients, 199-203
- Thorax
 aortic aneurysm in, 30-32
 percutaneous needle biopsy of, 124-125
- Thyroglossal duct cyst, as congenital lesion, 41-45
- Tibia, proximal, ossicles anterior to, 137-141, 169
- Torsion, exophytic gastric hemangioma with, 210-212
- Toxocara endophthalmitis, mimicking intraocular hemorrhage, 171-175
- Trauma
 knee joint disease and, 253-257
 knee joint effusion and, 176-178
 ossicles anterior to proximal tibia and, 137-141, 169
 pulmonary pseudocysts and, 189-192
 sialoceles and mucoceles of salivary glands after, 41-45
 synovitis after, 81-85
- "Triton" tumor, malignant, 53-55
- Tumor pedicle, torsion of, 210-212
- Tumors
 calcification of, 17-18, 171-175
 cardiac, 235-239
 giant cell, 153-155
 ileoileal intussusception and, 183-185
 liver, 67-69
 nerve sheath, 64-66
 ovarian, 199-203
 pediatric, 1-7
 smooth muscle, 117-123

soft tissue, 149-152
spinal, 46-52
Tympanic membrane, inflamed, in HIV, 86-88

Ultrasonography

of benign nerve sheath tumor of sigmoid colon, 64-66
of cavernous hemangioma of kidney, 106-108
of falciform ligament, 27-29
of fatty infiltration of liver, 162-168
of iliac artery aneurysms, 213-221
intraoperative, 301, 302
of panniculitis and Weber-Christian disease, 56-58
of retroperitoneal extraosseous Ewing's sarcoma, 149-152
of ureteric metastases in pancreatic adenocarcinoma, 102
Undifferentiated small cell tumor, in pediatric patient, 199-203
Unilateral vanishing psoas, computed tomography imaging of, 104-105, 169
Ureteric metastases, in pancreatic adenocarcinoma, 99-103

Uterus

cardiac metastases from leiomyosarcoma of, 117-123
mullerian adenocarcinoma in, 204-206
Uveal melanoma, mimicking intraocular hemorrhage, 171-175

Vagina, paravaginal cysts and, 126-132

Valsalva maneuver, in color Doppler imaging of lower extremity veins, 266-268

Vascular bundles, mesenteric, in Crohn's disease, 193-198

Veins, lower extremity, 266-268

Vena cava tumor, smooth muscle, 117-123

Venous obstruction, in mesenteric panniculitis, 112-116

Ventricular system, dilated, dorsal mesencephalic lipomas and, 12-16

Vomiting, in HIV, 86-88

Weber-Christian disease, panniculitis associated with, 56-58

Yersinia enterocolitica, in septic abscess, 33-35

